

Collective Collaboration. Shared Success.

As the industry leader, **Reliance Polymers** recognises the importance of self-reliance. We foster collaboration and empower our downstream value chains for co-existence and optimal growth. By supporting growth and nurturing long-term relationships we champion sustainable growth and an **Atmanirbhar India**.



www.reliancepolymers.in



Collective Sustainability. Shared Success.

In today's ever-changing business environment, sustainability isn't just a buzzword; it's the very foundation of our future progress.

At **Reliance Polymers**, we are deeply committed to shaping a sustainable tomorrow for our industry, both in terms of polymer manufacturing as well as its innumerable applications. Partner with us as we lead the way towards ensuring lasting success through **sustainable practices and products**.



www.reliancepolymers.in



Reliance
POLYMERS

CONTENTS



RELIANCE INDUSTRIES LTD.	1 & 2 Front Cover
HPCL -MITTAL ENERGY LTD.	4th Front Cover
PRESIDENT'S MESSAGE	1
1. VICE PRESIDENT'S MESSAGE (Mr. Prakash Khemani)	2
2. VICE PRESIDENT'S MESSAGE (Mr. Alpesh Patel)	3
HDPE/PP BAGS FOR FOODGRAIN PROCUREMENT IN RMS 2026-27	4
GeM BID LETTER- RAJASTHAN REGION	5-12
LETTER FROM CPCB - IMPLEMENTATION OF EPR GUIDELINES FOR PLASTIC PACKAGING	13-14
SOLTEX PETROPRODUCTS LTD.	15
PARAS STEEL TUBES	16-17
PRASAD KOCH/COOL TECHNIK PVT. LTD.	18
PATSON PIPES & TUBES	19
PERFECT BELTS PVT. LTD.	20-21
ALTEEM INSTRUMENTS	22-23
PERFECT PRINTGRAPH ENGINEERS LLP	24
BUBNA POLYSACK INDUSTRIES	25
TECHNOLOGY PLASTOMECH PVT. LTD.	26-27
SAMRUDDHI ENGINEERING	28
STARLINGER PLASTICS MACHINERY INDIA PVT. LTD.	29
INDIAN OIL CORPORATION LTD.	30-31

CALIBRIS	32-33
ALOK MASTERBATCHES PVT. LTD.	34
GABBAR ENGINEERS CO.	35
GINZA MACHINERY MFG. CO.	36-37
ARMSTRONG MACHINERY LLP	38-39
MAKSTEEL WIRE HEALDS PVT. LTD.	40
SWASTIK PLASTALLOY	41
S.K. ENTERPRISES	42-43
PERFECT BELTS PVT. LTD.	44-45
INNOVATIVE FLEXOTECH PVT. LTD.	46
NAVJIVAN EXPORTERS	47
HI-TECH INKS PVT. LTD.	48-49
JP EXTRUSION TECH PVT. LTD.	50-51
GLOBAL INDUSTRIES	52
PLAST INDIA 2026	53
TECHNOLOGY PLASTOMECH PVT. LTD.	54-55
PERFECT BELTS PVT. LTD.	56-57
SAR INDUSTRIES SAR MACHINES PVT. LTD.	58-59
AERODRY PLASTICS AUTOMATION PVT. LTD.	60
IFTEX STALL AT PLAST INDIA 2026	1st Back Cover
WELCOME MEMBERS	2nd Back Cover
LOHIA CORP LIMITED	3 & 4 Back Cover



Be sure with



Improving lives with Technology

HMEL continuously invests in latest technologies and innovative solutions to offer you the best-in-class polymers

Scan for
HMEL PP & PE Grades



HPCL-Mittal Energy Limited
www.hmel.in



President's Message



Greetings for the New Year!

As we step into 2026 with renewed energy and optimism, IFTEX proudly announces the launch of its triennial directory at PLASTINDIA 2026 EXHIBITION, scheduled from 5th to 10th February 2026. We warmly invite you to visit the IFTEX Stall in Hall 5G, Booth A31, where we look forward to engaging with our members, partners, and industry leaders.

Plastics today lie at the very heart of India's industrial and economic growth. From agriculture to healthcare, infrastructure to packaging, automobiles to technical textiles - plastics have become indispensable, powering employment, exports, and GDP growth. As an industry, we continue to play a pivotal role in shaping India's future through innovation, sustainability, and collaboration.

This is also a gentle reminder to our members that food grain tenders are being floated through the GEM portal. We urge all members to actively meet and follow up with their respective State Procurement Officials, including FCI, to clearly understand the process, timelines, and requirements of the proposed tenders with additional terms and conditions. Sellers are advised to contact procurement agencies directly to familiarize themselves with tender formats, specifications, inspection procedures, and delivery requirements and locations.

Let us move forward together with determination and vision - strengthening our industry, supporting national growth, and contributing to a sustainable future.

Warm regards,

For IFTEX



K.R. Padmaja Reddy
President

Vice President's Message



Dear Members,

Warm greetings!

The beginning of a new year provides an opportunity to reflect on the progress made and to recalibrate our priorities in line with emerging global and domestic developments. As we enter **January 2026**, the Industry finds itself at an important intersection of trade opportunity, technological advancement, and sustainability-led growth.

Over the past months, we have consistently highlighted the need for stronger global integration of Indian manufacturing. In this context, the ongoing progress toward the **India–European Union Free Trade Agreement** is a positive and timely development. The proposed agreement has the potential to open new avenues for Indian exporters by improving market access, reducing tariff and non-tariff barriers, and facilitating greater alignment on standards and compliance. For IFTEX members, engaged in **woven technical textiles**, this could translate into enhanced export competitiveness and deeper participation in European value chains.

At the same time, the domestic industry is preparing for **PlastIndia 2026**, an event of global significance that will bring together stakeholders from across the plastics, polymers, and allied manufacturing sectors. PlastIndia 2026 is expected to showcase innovation in materials, processing technologies, recycling, and circular economy solutions - areas that are increasingly central to long-term industrial growth. The exhibition will also provide a valuable platform to reinforce India's position as a reliable, scalable, and responsible manufacturing hub.

As discussed in earlier messages, the coming period will require the Industry to remain focused on operational efficiency to meet the demand for Foodgrain packaging. IFTEX will continue its engagement with policymakers and facilitate knowledge sharing among members.

I extend my best wishes to all members for a purposeful and successful start to **2026** and look forward to continued collaboration in strengthening our industry's growth and global standing.

Warm Regards,

Dr. Prakash Kumar Khemani
Vice President, IFTEX

Vice President's Message



Dear IFTEX Industry Members,

As we enter 2026, the Indian woven sack industry stands at a decisive juncture. India continues to strengthen its position as a reliable, resilient, and globally trusted manufacturing destination. However, ongoing global uncertainties including geopolitical developments, volatility in raw material prices, evolving trade policies, and supply chain realignments make it imperative for the industry to move forward with enhanced preparedness, discipline, and a clear long-term vision.

In this evolving environment, growth must not be driven by scale alone. It must be anchored in quality excellence, sustainability, regulatory compliance, and responsible business practices. IFTEX remains firmly committed to guiding its members in aligning with global standards while safeguarding and strengthening the interests of the domestic woven sack industry through constructive and proactive policy engagement.

The upcoming PlastIndia 2026 Exhibition will serve as a strategic platform for members to engage with global innovations, advanced technologies, and emerging sustainability benchmarks relevant to our industry. I strongly encourage all members to participate actively, explore new opportunities, and leverage this platform to enhance efficiency, innovation, and global competitiveness.

In today's environment of global uncertainty, such collective platforms play a vital role in fostering confidence, collaboration, and a unified industry voice. As India's role in global supply chains continues to expand, unity, mutual cooperation, and ethical business conduct will remain the cornerstones of sustainable and inclusive growth.

As we welcome New Year 2026, I extend my warmest wishes to all IFTEX members and their families. May the coming year bring stability, growth, innovation, and prosperity to our industry. With collective effort, strategic focus, and a positive outlook, I am confident that 2026 will be a successful and rewarding year for all.

I sincerely appreciate the leadership of our Hon'ble President, the Managing Committee, and the unwavering dedication of all IFTEX members. Together, with vision, collaboration, and strategic direction, we can transform challenges into opportunities and build a stronger, sustainable, and globally respected woven sack industry.

Warm regards,

Alpesh Patel
Vice President, IFTEX

No.15-30/2025-Py.III (E. 390861)
Government of India
Ministry of Consumer Affairs, Food & Public Distribution
Department of Food & Public Distribution

Krishi Bhawan, New Delhi.
Dated: 02/01/2026

To,

1. The Principal Secretary/ Secretary (Food),
State Govt. of Bihar, Gujarat, Haryana, Madhya Pradesh, Punjab, Uttar Pradesh
and Uttarakhand
2. ED (Purchase), FCI HQ, New Delhi

Subject: Allotment of HOPE/PP bags for foodgrain procurement in RMS 2026-27

Sir/ Madam,

I am directed to refer to the 3d (revised) Supply Plan for RMS 2026-27/ KMS 2025-26 (rabi) dated 22.12.2025 (copy enclosed) vide which jute bags were allocated to State Govts. and FCI. DFPD vide letter dated 18.12.2025 (copy enclosed) had also advised you for making preliminary preparedness for placement of tender for procurement of HOPE/PP bags through GeM for RMS 2026-27.

2. The matter of acute shortage in supply of new jute bags by jute mills was taken up in consultation with Ministry of Textiles, and it has been decided to grant permission for using HOPE/PP bales for food grain procurement operations in RMS 2026-27. Accordingly, the following quantity of HOPE/PP bales are allocated for use in food grain procurement operations in RMS 2026-27:

S. No.	State	Allocation of HOPE/PP bales (fig in lakh bales) (1 bale = 500 bags)
1	Bihar	0.01
2	FCI	0.9
3	Gujarat	0.04
4	Haryana	2.35
5	Madhya Pradesh	2.61
6	Punjab	2.55
7	Uttar Pradesh	0.76
8	Uttarakhand	0.001
	Total	9.22

3. The HOPE/PP bags should be procured through GeM only. Status of placement of orders with GeM and receipt of HOPE/PP bags be intimated to this Deptt. on fortnightly basis. The specifications of HOPE/PP bales procured should be as per IS 14887 : 2014 'Textiles - High density polyethylene (HOPE)/polypropylene (PP) woven sacks for packaging of 50 kg food grains' with up to date amendments.

4. State Govts. and FCI should take urgent necessary steps for arrangement of packaging material (bags) so that foodgrain procurement operations are not adversely affected. In case of any modification/ updation in requirement of bags, it should be informed to this Department along with proforma already circulated by this Department vide letter dated 06.10.2025 (copy attached), within 3 days from date of issue of this letter.

5. This issues with the approval of Competent Authority.

Encl: As above

Yours faithfully,


(Mohan Lal)

Under Secretary (Py III) Copy to:

- Joint Secretary (Jute), Ministry of Textiles, Udyog Bhawan, Delhi
- The Office of Jute Commissioner, Kolkata
- President, Indian Federation of woven Technical Textiles (IFTEX), New Delhi.
- The CEO, GeM, New Delhi
- Managing Director, CONCOR, New Delhi

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	23-01-2026 16:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	23-01-2026 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Consumer Affairs Food And Public Distribution
विभाग का नाम/Department Name	Department Of Food And Public Distribution
संगठन का नाम/Organisation Name	Food Corporation Of India (fci)
कार्यालय का नाम/Office Name	Rajasthan Region
कुल मात्रा/Total Quantity	83290
वस्तु श्रेणी /Item Category	HDPE/PP Woven Sacks for packaging 50kg Food Grains (V3) ISI marked to IS 14887 (Q1)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	300 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details

बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	909443510
Payment Timelines	Payments shall be made to the Seller within 180 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	18188870

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).

14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Agm(stg)

Rajasthan Region, Department of Food and Public Distribution, Food Corporation of India (FCI), Ministry of Consumer Affairs Food and Public Distribution
(Ravi Prakash)

विभाजन/Splitting

विभाजन/Splitting Applied	Yes
बोलीदाताओं की अधिकतम संख्या, जिनके बीच ऑर्डर विभाजित किया जा सकता है। / Maximum No. Of Bidders Amongst Which Order May Be Split	17
विभाजन मानदंड इस बात पर आधारित है कि कौन सी क्वांटिटी को वितरित किया जाएगा / Split Criteria based on which quantity will be distributed	AS PER FCI ATC

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)
---	---

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its

subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

8. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

HDPE/PP Woven Sacks For Packaging 50kg Food Grains (V3) ISI Marked To IS 14887 (83290 bale)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

*** जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification**

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	As per IS 14887

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Material of Sacks	Polypropylene (PP), High Density Polyethylene (HDPE)
	Inside Length (in mm) (Tolerance +20 -10 mm)	1000
	Inside Width (in mm) (Tolerance +20 -10 mm)	570
	Ends/dm (Tolerance ± 2dm)	48
	Picks/dm (Tolerance ± 2dm)	48
	Mass of fabric (in g/m2) (Tolerance ± 3 %)	105
	Weave and pattern (As per IS 14887 Fig. 1)	Anti-Slip weaving pattern (6 shuttle machine)
Packaging	Number of bags per bale	500

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mahesh Kumar Saini	302015,4,Nehru Place, Near Police Headquarters, Tonk Road, Jaipur	83290	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The

Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---



F.No. CP-20/80/2021-UPC-II-HO

Dated 19.01.2026

Subject: Notice on "Removal of Difficulties" for implementation of EPR Guidelines for Plastic Packaging – reg.

This is to inform that additional measures were undertaken vide CPCBs notice even no. dated 28.11.2025, for the purpose of "removal of difficulties" to facilitate effective implementation of the Extended Producer Responsibility (EPR) Guidelines.

MoEFCC, vide Amendment to the Plastic Waste Management Rules dated 30.10.2023, has notified the following:

1. As per the clause 8.2 of the EPR Guidelines under Schedule II of the PWM Rules, 2016 (as amended), "Surplus in one category can only be used for off-setting, carry forward and sale in the same category. A surplus under reuse can be used against reuse, recycling and also end of life disposal. A surplus under recycling can be used for recycling and end of life disposal. A surplus under end of life disposal cannot be used for reuse or recycling."
2. As per the clause 15A of the EPR guidelines, "Purchase of extended producer responsibility certificate from different categories" –
 - i. The Central Pollution Control Board may allow purchase of extended producer responsibility certificates for those categories where surplus exists over the extended producer responsibility obligation of that category for fulfilment of extended producer responsibility obligation of such category where deficit exists.
 - ii. In such cases, the Central Pollution Control Board shall prescribe the quantum of extended producer responsibility certificates of the category required to be procured, where surplus exists for fulfilment of extended producer responsibility obligation of the category where deficit is present, based on the availability and cost of collection, segregation and processing for different categories of plastic packaging waste.
 - iii. The provision of this paragraph shall cease to apply at the end of 2025-2026.

In view of above, the following measures have been undertaken to facilitate the implementation of the EPR Guidelines:

1. The EPR obligations for the respective Recycling Category I to III of plastic waste, applicable to PIBOs, shall be fulfilled by the EPR certificates of the same category. Exchange of obligations across recycling category shall not be permitted.
2. A surplus generated under end of life disposal shall not be permitted for adjustment against recycling target, in accordance with the provisions of Clause 8.2 of schedule II of the EPR guidelines, under the PWM Rules, 2016 (as amended).

Contd.

‘परिवेश भवन’ पूर्वी अर्जुन नगर, दिल्ली - 110032.

Parivesh Bhawan, East Arjun Nagar, Delhi - 110 032.

दूरभाष /Tel : 43102030, 22305792, वेबसाइट /Website: www.cpcb.nic.in

3. CPCBs Notice dated 28.11.25, allowing fulfilment of EPR Obligation under 'Recycling' to be met through 'End-of-Life' (EOL) EPR Certificates stands withdrawn, with immediate effect.
4. Accordingly, registered PIBOs are required to ensure timely filing of their respective Annual Returns (ARs) on the EPR portal on or before the stipulated deadline, i.e., **31 January 2026**.
5. The additional EOL certificates transferred to the Annual Report for FY 2024-25 shall be considered for fulfilment of EOL for subsequent annual returns.

The above provisions are applicable for the period valid till the Annual Return filing of FY 2024 - 25. All registered PIBOs are required to follow the aforementioned for effective implementation of EPR guidelines.

This issues with the approval of competent authority.


(G.Thirumurthy)
Director & DH UPC II

जी. तिरुमूर्ती / G. Thirumurthy
वैज्ञानिक एवं प्रदूषण नियंत्रण नियोजन प्रभाग / Scientist 'E' Div Head PCP
केंद्रीय प्रदूषण नियंत्रण बोर्ड
Central Pollution Control Board
(पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार)
(Ministry of Environment, Forest & Climate Change, Govt. of India)
परिवेश भवन, पूर्वी अर्जुन नगर, दिल्ली-110032
Parivesh Bhawan, East Arjun Nagar, Delhi-110032



SOLTEx

ADDING VALUE

FILLERS • MODIFIERS • COLOUR / BLACK & WHITE MASTERBATCHES • ADDITIVES



SOLTEx PETROPRODUCTS LTD

T: +91 2240631515 • F: +91 2240631516 • sales@soltexpetro.com
MUMBAI • DAMAN • SILVASSA • RUDRAPUR • KOLKATA

www.soltexpetro.com



ParaSteel

PARAS STEEL TUBES™

(An ISO 9001 : 2015 Certified Company)

HIGH TENSILE CHEESE TUBES



FLAWLESS
FINISH

ECONOMICAL
PRICES

HIGHLY
DURABLE

LIGHT
WEIGHT

VARIOUS
COATING
OPTIONS

CLOSE
TOLERANCE

CRACK
RESISTANT

These High Tensile Cheese Pipes are Efficiently Manufactured by utilizing Superior Graded Steel with the help of latest Techniques in Conformity with Indian and International Standards .

MAKING TUBES FOR A PROSPEROUS TOMORROW

PARAS STEEL TUBES is a client centric organization dedicated to delivering precision engineered solution for Industrial tubes. Since our foundation in 1998, we have been following ethical practices and quality conscious approach in our business. With our unending commitment to quality, we have achieved a notable position of manufacturer, exporter & supplier of industrial Tubes.

OUR PRODUCTS

***Automotive Industry**

- Precision Turned Components
- Handle Bar Tubes
- Headrest Tubes
- Fuel Injection Tubes

***Telescopic Stand Tubes**

***IBC Tank Frame Tubes**

***Woven Sack Industry**

- High Tensile Cheese Pipes
- Shuttle Guide Tubes
- Guide Rollers for Circular Looms

***Luggage Trolley Tubes**

***Drip Irrigation Tubes and many more**

WE ARE ANCILLARY TO

- * Maruti Udyog Limited
- * Honda

- * Hero MotoCorp
- * Volkswagen

Add: Plot No. 189-A Swarn Park, Udyog Nagar, Mundka, New Delhi - 110041(India)

Key Person : Mr. Rakesh Sehgal (director@parastubes.com)

Email: marketing@parastubes.com & customercare@parastubes.com

Customer Care No.: +91 9999486919

www.parastubes.com



Minimising costs through energy efficiency



Air cooled Chiller

Capacity Range 1TR to 350TR

Large sized evaporator and condenser for tropical conditions.

A seamless safety chain including function control of compressor, fan, pump and water filling level.

High operation comfort, easy maintenance, low number of switching actuations.



HMI Touch Screen Controller (PLC)



Screw Chiller

PRASAD GWK COOLTECH PVT. LTD.

14 & 16, Phase 1, G.I.D.C. Estate, Vatva, Ahmedabad-382445, India
 Ph.: +91-79-2583 0112 / 2589 0687 / 2583 4323, Fax: +91-79-2583 0129
 E-mail: plastics@prasadgroup.com, www.prasadgroup.com
 ISO 9001:2015 Certified

Sales & Service Network

West:
 Mumbai : 022-28018300, 8322143816
 Vapi : 9328572863
 Pune : 9325401351
 Indore : 9827070528
 Ahmedabad : 9377762817

North:
 Delhi : 011-32967842, 8310701081
 Haridwar : 9388308420
 Chandigarh : 9366377722
 Baddi : 9366666572

South:
 Chennai : 044-23822230, 8386344442
 Bangalore : 080-23144780, 9341481016
 Hyderabad : 9348735865
East:
 Kolkata : 033-40083149, 8697733736



In Co-operation with Technotrans Solutions GmbH, Germany



M.S. Seamless (Cold Drawn) **HARD CHEESE PIPES**

Surface finishing of I.D. is very smooth with deburring ends.

AVAILABLE SIZES

I.D.	O.D	I.D.	O.D	I.D.	O.D
28.50	x 31.75mm	35.00	x 38.00mm	35.00	x 37.00mm
32.00	x 35.00mm	32.00	x 36.00mm	35.00	x 37.50mm
30.00	x 34.00mm	35.00	x 40.00mm	47.00	x 50.00mm
44.00	x 48.00mm	90.00	x 94.00mm	In 218, 220, 230, 520	
47.00	x 50.80mm	90.00	x 95.00mm	mm & in any length	

- Available fix cutting pipes with CED coating & Powder Coating in various colours Glossy & matte finished from 100mm to required length.
- Also available in odd sizes from 15mm I.D. x 20mm O.D. to 90mm I.D. to 95 mm O.D. & Wall Thick: 1mm to 6mm.



PATSON
PIPES & TUBES

Manufacturer of Seamless Pipes & Tubes. M.S. Cheese Pipes (Bobin)

375, GIDC Estate, Por-Ramangamdi - 391 243 Dist. Vadodara

Ph.: +91 0265 2964455, +91 98985 85511

E-mail: patsonpipes@rediffmail.com, patsonpipes@yahoo.co.in,

Website: www.patsonpipes.com



CHEESE TUBES

ALUMINIUM & STEEL


TYPE	SIZE	MATERIAL	WT.
EXTRUDED	35(ID) X 40(OD) X 218(L)	ALUM. PLAIN	165 gm
EXTRUDED	35(ID) X 40(OD) X 218(L)	ALUM. 3 GROOVE	165 gm
EXTRUDED	35(ID) X 47(OD) X 218(L)	ALUMINIUM	238 gm
CDW	35(ID) X 37(OD) X 218(L)	STEEL	190 gm
ERW	35(ID) X 38(OD) X 218(L)	STEEL	290 gm





IOT

SENSE | MONITOR | ANALYSE



Connectivity


Allowing users to log and analyze key performance indicators such as OEE, Alteem's Dashboard Portal is at the heart of connected services. Showing historical data and generating reports, it allows users to gain insights to produce real operational improvements, and can be used remotely via laptops and smart phones.

Remote Monitoring

Remote Monitoring provides live data of all connected machines, including average speeds, production output, uptime, downtime, energy consumption, job planning, and much more. This data can then be used to improve operations and enhance productivity.

Downtime Monitoring

Downtime monitoring improves overall production efficiency by giving live and historical data of the machines to make sure they are performing as per the required capacities.



The Gateway can be installed directly on the machine.

**DATA
ACQUISITION**

**DATA
MANAGEMENT**

**ADVANCED
ANALYSIS**





Manufacturer & Designer of Web Control Systems

Opposite Genesh Meridian A, Chanayasnuri Ross, Nr. New Gujarat
High Court, S.G. Highway, Ahmedabad-380060 (Gujarat)
Phone: +91-9662164747, 9723372233
E-mail: sales@alteem.com

Automatic B2B Registration Control System

ABR -400

Achieving Precise Alignment: Front and Back Mark Matching in Extrusion Lamination Machinery



High Speed
Embedded Board



Automatic Search
for Registration Mark



7 inch
Touch Screen

Back To Back Window Matching System

ARC -400

Achieving Seamless Front and Back Window Alignment in Lamination Machine



The Only Machine in Asia Capable of Printing on Woven Sacks, Films and Paper

Precision Flexographic Technology for a Wide Range of Applications:

Films

Woven Sack

Paper

Non-Woven

Lumber Wraps

- Speed Options: Upto 250 mtrs/min
- Print Repeat range: 400 to 1300mm
- Colour Range: 4 to 12
- Option of Servo Motor & Timing Belt Driven
- Option of Sleeve System on Plates & Anilox for faster changeover
- Completely enclosed & Precise chambered Doctor Blade assembly
- Application: Cement, Rice, Fertiliser, Pet Food, Grains, etc
- Options of: Viscosity Controllers. Semi-Automatic washing system



The only company in Asia to manufacture upto 150 mtr/min and 4500 mm wide Stack Flexo Printing Press

Films

Woven Sack

Paper

Non- Woven

Lumber Wraps

- Color Range: 2 or 4
- Printing Speed : Upto 150 mtr/min
- Maximum Web Width: 4500 mm
- Completely enclosed chamber doctor blade
- Ceramic Anilox Roller
- Semi - automatic cleaning system
- Motorised movement of printing deck
- Pneumatic Ink Pump

Built for:



Geo Textiles



Tarpeulin



Logistics



Lumber Wrap



Roofing Applications



Custom-built solutions to optimize your processes and meet your needs are our forte.

40+
Years of
Excellence



50+
Countries
Global
Presence

LEADING EXPORTER OF:



FIBC (Super Sacks)



**PP/HDPE Woven
Sack /Bag**



**BOPP Laminated
Sack**



Dunnage Bag



**PP/HDPE Laminated
Fabric**



**Block Bottom
Valve Bag**



**Ventilated
FIBC**



**Leno/Mesh
Bag**



**Paper polywoven
Bag**



**Woven
Geo Textiles**



LDPE Nursery Bag




**Lumber Wrap
/Cover**



Ground Cover



Tarps



Mulch Films



**HDPE Woven
Pipe**



HDPE Grow Bag



Shade Net



Silt Fence



Insect Net

305, B-Tower, International Commerce Center, Near Majura Gate, Ring Road, SURAT-395003. (Gujarat) INDIA.

+91 261 2475275/76/77

info@ppbag.in

www.ppbag.co



Tape Stretching Lines



Redefining
Technology



TPPL Tape stretching lines are specially designed with advanced technology to extrude PP or HDPE premium quality tapes with lowest cost for performance demanding applications. The tapes are used for producing woven bags, FIBC fabrics, and many other technical applications. Our Innovative technology provides best tape quality at lowest energy consumption. The optional Innovative filter system allows to produce tapes with a high rPP or filler (CaCO₃) content.

Working speed
upto 500 m/min

Working Width
upto 2000 mm

Production Capacity
upto 900 kg/hr

TPPL
TECHNOLOGY PLASTOMECH

TECHNOLOGY PLASTOMECH PRIVATE LIMITED

A-704, K P Epitome,
Nr. DAV School, Makarba, Prahladnagar,
Ahmedabad - 380051, Gujarat, INDIA.

+91 97129 65099
sales@tpplindia.com

For international
+91 99786 11088
export@tpplindia.com



High Speed Universal Processing

Up to 900 kg/hr. production capacity
High performance, high tenacity tapes
Low denier variation, low energy consumption
Lowest cost of production

Also Offering

Tapeline for rPP
(100% recycled PP)



Advantage >>>>

- » Considerable Energy Saving
- » Optimized Cost Efficiency
- » Usage versatility
- » Less Resource
- » Level up Extrusion
- » High on Productivity

Innovative Extrusion



Energy Efficient Extrusion Unit with Inline Mixer, Performance screw, Continuous filtering System and Precision Die.

Best Melt Quality



Melt / Gear Pump deliver Pulsation free, accurate volume per revolution. it Ensures lowest Flow variation In machine direction.

Sleek Design



Stretching & Annealing Roller Unit with up to 500 meter/mIn. Operational Speed with optional Safety Guard System.

Best in Class



World's Leading Extruder Gear Box with inbuilt PHE works most efficiently with lowest energy losses with extended life.

Perfect Winding



Inverter driven Winders with High Speed Operation ensures uniform tension winding with Lower Power Consumption.

Smart Operating



Touch Control with Centralized Access. Self diagnostic with Real time display of Energy consumption and Production data.





Edge Hardened Steel Cheese Tubes

**HIGH STRENGTH AREA
WITH REQUIRED DUCTILITY**
(Resistance to compression)



SUPER HIGH STRENGTH AREA
(Resistance to Impact)

ADVANTAGES

- Provides resistance to deformation/dents due to handling.
- Life of the cheese pipe is improved.
- Cost of lifting the dents and removing deformation is avoided.
- The 'Per Cycle Cost' of cheese pipe is drastically reduced.

Size
37mm x 35mm x 218mm



SAMRUDDHI ENGINEERING 'SIDDHI HOUSE' 6, Virkunj Society, Nr. Vidyanagar School, Usmanpura, Ahmedabad, Gujarat, INDIA.

Tel: +91 93767 67382

E-mail: samktg@siddhiindia.com | saexp@siddhiindia.com

Website: www.cheesetubes.com



Starlinger

attractive sack design for best brand promotion

low breakage

strong and sustainable packaging for dry bulk goods.

AD*STAR® sacks provide highly protective

optional micro-perforation

recyclable mono-material packaging



AD*STAR®

Be it flour, grains, rice, or animal feed, fertilizers and chemical resins – AD*STAR® sacks keep your product unharmed during storage and transport.



Powering Progress **PROPELLING** Success



Our **PROPEL** brand of petrochemicals provides comprehensive solutions.
Product Slate Includes:

- Polypropylene (PP)
- High Density Polyethylene (HDPE)
- Liner Low Density Polyethylene (LLDPE)
- Linear Alkyl Benzene (LAB)
- Purified Terephthalic Acid (PTA)
- Mono Ethylene Glycol (MEG)
- 1,3-Butadiene ● Butyl Acrylate



A large industrial machine, a circular weaving machine, is the central focus. It is white with a red fabric strip running vertically through it. The machine has multiple levels of spindles and threads. Two men are standing to the left of the machine, looking at a tablet. The man on the left is wearing a dark suit, and the man on the right is wearing a white shirt and dark pants. The background is a clean, industrial setting with a white wall and a grey floor. The machine has the brand name 'CALIBRIS' and 'Y8' visible on it.

Built for business that never stops

Products developed with 4 decades of proven expertise.
20,000 installations in 33 countries. A solution-centric approach
that delivers on efficiency, productivity and economy.
An industry legacy since 1973.

Circular Weaving Machines | Knitting Machines | Fruit+Vegetable Packing Machines

CALIBRIS

PERFORMANCE MACHINES



Formerly **YOUR EQUIPMENT SOLUTIONS**

Girish B Kamath - sales@calibris.co +91 63664 34310

calibris.co



India's Most Trusted Masterbatch Manufacturer



PRODUCTS WE OFFER

Colour Masterbatch

Black Masterbatch

Filler Masterbatch

Additive Masterbatch

White Masterbatch

Fiber Masterbatch

ALOK MASTERBATCHES PVT. LTD.

alokmasterbatches.com | info@alokindustries.com

Sewing Machines For HDPE Woven Sacks Bags



ST - 502 HD

Double Needle, Four Thread,
Chain Stitch Sewing Machine

Application :
PP, HDPE, Woven Sacks
Bag Stitching Machine.



Sewing Machines for Big Bags (FIBC)



ST - 6001 SUF

Double Needle, Four Thread,
Combined Overedging
& Chain Stitch (Safety Stitch)
Sewing Machine
with Lower Feed &
Alternating Upper Feed



ST - 6006 UDDR

Double Needle, Four Thread,
Chain Stitch Machine
with Upper and Lower Feed



ST - 802 VMC

Two Needle, Four Thread
High Speed
Sewing Machine



ST- 603 DR

Single Needle,
Plain feed
Double Thread,
Double Locked
Chain Stitch
Sewing Machine.



Belt Cutting Machine

Specifications :

- ◆ Belt Width : Adjustable from 45 mm to 100 mm.
- ◆ Machine Speed : 15 meters /min.
- ◆ Drive : Servo Motor.
- ◆ Power : Single Phase 1 H.P.
- ◆ Cutting Mechanism : By Hot Blade.
- ◆ Marking System : Contact Marking Ink.
- ◆ Air Pressure : 3 kg/cm².
- ◆ Man Power Required : Single Person.
- ◆ Belt Width : 35 mm - 8 Line, 45 mm - 8 Line,
56 mm - 8 Line, 75 mm - 4 Line,
100 mm - 4 Line, 50 mm - 8 Line,



ASH TECH

Automatic Belt Cutting with
Marking System For FIBC &
other Belt Material



Manufacturer & Exporter :

**Gabbar
Engineering Co.**

Plot No. 1903, Phase III,
'F' Road, G. I. D. C., Vatwa,
AHMEDABAD - 382 445.
Gujarat, INDIA.

Phone : 91 - 79 - 2583 0871
Mobile : +91 98240 62000 (Umesh Panchal)
E-mail : umesh@gabbar.com
Website : <http://www.gabbar.com>



ISO 9001:2015 certified

ARM STITCH™

SEWING MACHINE FOR AUTO BAG CONVERSION LINE



AS - 102 HS (YARN Stitching)

- High Speed, Flat Bed - Double Needle - Four Thread.
- Chain Stitch - Sewing Machine. For, Auto Bag Conversion Line



BS - 5200 (HDPE TAPE Stitching)

- High Speed - Flat Bed - Double Needle - Four Thread
- Chain Stitch Sewing Machine.
- For Auto Bag Conversion Line.
- Specially Designed For HDPE Tape Stitching.

NOTE: "AS-102 HS" & "BS-5200" can be installed on Conversion Lines of LOHIA, INNOVA etc. (Replacement of New Long "DKN-3W")

PP/HDPE WOVEN SACK SEWING MACHINE



AS - 502 HD

- Double Needle
- Four Thread
- Chain Stitch
- High Speed Sewing Machine



MANUFACTURER OF INDUSTRIAL SEWING MACHINES SINCE 1990

FIBC / JUMBO BAG SEWING MACHINE



AS - 603 DR

- Single Needle - Plain Feed - Double Thread
- Double Locked Chain Stitch Sewing Machine



AS - 602 HR

- Single Needle - Plain Feed - Flat Bed - Double Thread
- Over seaming (Hiracle) Sewing Machine



AS - 606 UDDR

- Double Needle - Four Thread - Double Locked Heavy Duty Chain Stitch Sewing Machine with Lower feed & Alternating Upper feed.



AS - 802 VMC

- Double Needle - Four Thread - Chain Stitch
- High Speed Sewing Machine. For, SPOUT or SKIRT attachment.



AS - 902 HUF

- Double Needle - Four Thread - Chain Stitch Sewing Machine with Lower Feed & Alternating Upper Feed



Baffle Sewing

AS - 1002 LA

- Double Needle - Four Thread - Long Arm Chain Stitch
- Sewing Machine with Lower Feed & Alternating Upper Feed
- Specially Designed for Baffle Attachment of Container Bags.

Email : pratik@armstitch.com
priresh@armstitch.com

Pratik Panchal : +91 96240 90000
Priresh Panchal : +91 98240 59000



BEYOND FABRIC
Building the Machines that Build Industries.



FORM FIT BOTTLE SHAPE LINER SEALING SYSTEM

Model:
Without Perforation (LinerTek FF)



NEEDLE LOOM FOR JUMBO BAG HEAVY LIFTING BELT

Model:
NLoomTek (4/100)

CYLINDERLESS ROLL TO ROLL FLEXOGRAPHIC PRINTING MACHINE (2 TO 8 COLOUR)



Model: PrinTek 8

LUMBER, TARPAULIN, GEO-TEXTILE & ROOF APPLICATION MACHINES - WIDE WIDTH

Auto Rewinding & Cutting Machine



Model:
RewindTek

Flexographic Printing Machine (1, 2, 3 & 4 Colour)



Model: PrinTek



WOVEN SACK

Automatic Tubing
(Centre Pasting) Tuber Machine



Model: TubeTek

Woven Sack
Lamination Machine



Model: LamTek

High Speed Liner
Insertion + BCS Machine



Model: InsetTek

Piece To Piece Pinch Bottom
Bag Making Machine



Model: PinchTek

R2R FLEXOGRAPHIC
PRINTING MACHINE WITH
AUTO CUTTING SYSTEM
(SIX COLOUR)



Model: InsetTek

RANGE UPTO 4.2 METERS

RECYCLING MACHINE
MOTHER & BABY REPROCESS PLANT

Lamination
Machine



Model: LamTek



Model:
RecycleTek

CE An ISO 9001
Certified Co.



Head Office : 6th Floor, SARAP Complex, Opp. Navjivan Press, B/H Gujarat Vidyapith, Ahmedabad-380014, Gujarat, India.

Call : +91 63587 40011, +91 63587 40024, +91 63587 40025

E-mail : vyom@armstrongex.com, inquiry@armstrongex.com, sales@armstrongex.com Web : www.armstrongex.com

Mfg. Facility - 1 : Plot No. A2/502-1, Opp. Indo German Tool Room, Phase-4, Gidc Estate, Vatva, Ahmedabad - 382445, Gujarat, India.

Mfg. Facility - 2 : A-55, Swarnim Ind. Park, Bakrol Road, Bakrol Bujrang, Ahmedabad-382430, Gujarat, India









Mfg. Facility - 3 : 7603, Phase IV, GIDC Industrial Estate, Vatva, Ahmedabad - 382445, Gujarat, India.



Wire Healds for Plastic Woven Sacks Industries

Length : 300, 305, 310 & 355 mm or required
Wire Size : 0.91 mm or required
End Loops : Open J, Oblong, Round & Open C
Eye Location : In centre or above centre

Surface Finish :
Nickel Plating
We can supply other Wire Healds on customer request.

Eye No.	Photo	Dimension In mm
1080R		6.6 x 3.9
390R		8.0 x 4.2
420R		9.0 x 4.8
450R		10.0 x 6.3
8040R		8.0 x 4.0
440R		10.5 x 2.8
480R		13.5 x 7.5
65/0		6.5



Get Quality & Perfection

We can also supply Flat Healds & Drop Wires

COST-EFFECTIVE WORLD CLASS PRODUCTS.

PRODUCTS

- Black & White Masterbatch
- Color Masterbatch
- UV Masterbatch
- Optical Brigheners
- Anti-Static Masterbatch
- Anti-Block Masterbatch
- Antimicrobial Masterbatch
- Anti-Oxidants

TAILOR MADE FOR ANY COLOR DEVELOPMENT.

APPLICATIONS

- Woven Sacks & for AD Star Fabrics
- Leno Bags
- Non-Woven Fabric
- Roto Moulding
- Injection Moulding
- HDPE Pipes/Deep Irrigation Pipes
- Multi-layer and Mono Layer films
- Mulch film
- LDPE/LLDPE/PP Lamination
- Shede nets



Adding Value to Plastics

Swastik Plastoalloys Pvt. Ltd.

FACTORY

Bengal Anmol South City Infrapark,
Plot No - B6 & B7 Mouza - Jagdishpur, Howrah 711 115,
Bus Stop - Chamrail / Joypur

CORPORATE & REGD.OFFICE

Swastik Building, 5th Floor, Nazul Islam Avenue,
Tegharia. (Opp. Haldiram VIP),
Kolkata - 700 157

Ph: +91 33 2573 6028/1484/4061 9098 | Mob: +91 9883 856 774 / +91 9831 839 138

Email: sales@swastikplastoalloys.com | Web: www.swastikplastoalloys.in

CIN: U25200WB2008PTC126984

Product Detail

Cheese pipes are used in large numbers in woven sacks unit to wind/warp bobbins. This inexpensive item of often escapes the attention that is deserved while procurement.

Using our developed technology, We provide you

- ✓ **Highly polished, mirror like finish inside & outside the pipe.**
- ✓ **Accurate Size & roundness. Inaccurate size causes slippage or seizure on the winding spindle.**
- ✓ **High Tensile Strength for Long Life.**
- ✓ **Advance Powder Coating both, inside and out side. It is usually used to create a hard finish that is tougher & thicker than different coating.**
- ✓ **193 grams pipes with high tensile strength for saving power consumption and maintenance of Cheese Winder.**



Contact Detail

☎ +91 98310 29551 / 98316 32512

✉ sachin@skeco.in,
s_k_enterprises@yahoo.com

🌐 www.skeco.co.in

📍 11, Kishan Lal Burman Road, Hanuman Tower
Bandhaghat Howrah 711106 (WB) India

Company Detail



S.K. Group was promoted by *Late Sitaram Agarwal*. The company was setup in 1986 at Kolkata, initial emphasis on manufacturing Cheese pipe. We are pleased to introduce Ourselves that we are leading manufacturer and exporter of **SK Brand Cheese pipe**. Technology, Quality, Innovation and Customer satisfaction are the four pillars of SK philosophy. We have been an established and popular company with an excellent track record for the best customer satisfaction. We have never compromised on the quality and the services provided to the customer. We believe in keeping the customers happy and providing them with products at a very competent price. We have an excellent staffs who will guide you with their best ideas by keeping in constant touch with your company and informing about the market trends.

We assure you peace of mind in terms of **Quality Products, Competitive Rates & Best Service** while dealing with us

Points To Keep In Mind Before Procurement Of Cheese Pipe. (Depends Upon Winder)

- 1) **Weight:** Should be between 195 gms to 280 gms per pc. (appx)
- 2) **Inner Dia:** Must be finished smooth & must be accurate in size & roundness. Inaccurate size and welding projection causes slippage or seizure on the winding spindle. It also causes damage to the holder components.
- 3) **Thickness:** should be that it gives optimum strength to pipe. Usually 1 mm to 1.5 mm thickness pipe is adequate.
- 4) **Strength:** The cheese pipe is subjected to high loop stress during winding and storage. The stress is due to two factors, the winding tension & the shrinkage tension. The adjustment of the cheese winder controls the winding tension and the latter is control by stabilizing adjustment of the tape plant. It is necessary to know in details the roles played by both kinds of tensions in the event of failure of pipe.

Grade	Description	Outer Dia. (mm)	Inner Dia. (mm)	Length (mm)	Weight (grams) ± 5grams	Tensile Strength		
						Mpa.	Vpn.	Kgs/m ²
H	High Tensile Cheese Bobbins	37	35	218	195	529	167	54
H Supreme	High Tensile Cheese Bobbins	37	35	218	195	1362	431	139
H power	High Tensile Cheese Bobbins	38	35	218	260	578	183	59
H power Supreme	High Tensile Cheese Bobbins	38	35	218	260	784	248	80
H Lit	High Tensile Cheese Bobbins	36.8	35	218	160	1558	493	159



S.K. Enterprises
S.K. Engineering Co.
S.K. Exports Pvt. Ltd.

First Choice Of Your Production

For Sample & Current Offer
Please Whatsapp us on
+91 98319 39162

H-Supreme 195 ± 5 Grams

High Tensile Strength
Low Power Consumption
Mirror Like Inner Finish
Friendly Handling
Black Coating
Super Enamel
Available in Black or Plain

H- 195 ± 5 Grams

Cost Effective
Mirror Like Finish
Light Weight
Available in Black or Plain

H- lit 160 ± 5 Gramas

High Tensile Strength
Low Weight
Low Power Consumption
Super Enamel
Mirror Like Inner Finish
Steel Pipe of Aluminum
Weight

H- Power 260 ± 5Grams

In Build Strength
Cost Effective
Steel Surfaced OD




PERFECT BELTS PVT.LTD.

RUBBER PRESSURE ROLLER



S NO.	DESCRIPTION	REF. NO.	S NO.	DESCRIPTION	REF. NO.
1.	RUBBER ROLLER FOR HS WATER BATH / RUBBER ROLLER WB-1000 (LOREX-E90B-1000) DIA200 X 1130	11207624020 11155150010	12.	RUBBER ROLLER WB-1800	11213130020
2.	PRESSURE ROLLER (DUOTEC) DIA 100 X 1000	11207623030	13.	RUBBER PRESSURE ROLLER (LOREX 1400)	11202730010
3.	RUBBER PRESSURE ROLLER (LOREX 1400) DIA160 X 1400	11207627030 11206120000	14.	PRESSURE RUBBER ROLLER FOR LOREX 1000 / RUBBER PRESSURE ROLLER (DIA100 X 1000)	11200302010 11166430400
4.	RUBBER PRESSURE ROLLER (LOREX-E30B-1000) DIA160 X 1000	11206127000 11207626000	15.	ANNEALING PRESSURE RUBBER ROLLER	LB/TAPE 3420 X 1
5.	RUBBER PRESSURE ROLLER (LOREX-E76B-000) DIA160 X 000	11206120000	16.	PRESSURE RUBBER ROLLER FOR LOREX - 1400 (E106B.30D) DIA160 X L = 1400	11200001010 11166430000
6.	RUBBER ROLLER (WB-1600)	11207025010 / 20	17.	PRESSURE RUBBER ROLLER FOR LOREX - 1400 (E106B.30D) DIA160 X L = 1455	11200000020 11166430000
7.	RUBBER PRESSURE ROLLER (DIA190 X 1000)	11207623010 / 30	18.	PRESSURE RUBBER ROLLER FOR LOREX 1000 DIA180 X L = 1000	11200144000 11155430300
8.	RUBBER ROLLER (WB-1400) DUOTEC E120B.30D-1400C	11200070040 11156150010	19.	PRESSURE RUBBER ROLLER FOR LOREX 000 DIA180 X LENGTH 955 MM	11166402000 11209510000 / 10
9.	RUBBER ROLLER (WB-1400) ROLL WIDTH 1600 MM	11214440010	20.	RUBBER PR. ROLLER DIA100 X 1400 NON EXT.	11166337000 11200790010
10.	RUBBER PRESSURE ROLLER 100 X 1400 ROLL WIDTH 1600 MM	11200077060	21.	RUBBER PR. ROLLER DIA 190 X 1400 NON (DUOTEC E120B.30D-1400C)	11207000030 11156330100
11.	RUBBER PRESSURE ROLLER 190 X 1600	11207623040			

SUCTION PIPE



S NO.	DESCRIPTION	REF. NO.
1.	SUCTION PIPE	11166602200
		11163616600
2.	SUCTION PIPE	11163607740
3.	SUCTION PIPE	11166606600
4.	SUCTION PIPE	11166606700
6.	SUCTION PIPE	11133666600
6.	SUCTION PIPE	11163722700
7.	SUCTION PIPE	11214447000
8.	SUCTION PIPE	11214448000
9.	SUCTION PIPE	11163615400
10.	SUCTION PIPE	11133617000
11.	SUCTION PIPE	11133617100
12.	SUCTION PIPE	11133606600
13.	SUCTION PIPE	11214678000
14.	SUCTION PIPE	11166602000
15.	SUCTION PIPE	11133666200
		11133666000
18.	SUCTION PIPE	111666061100

COMPLETE FLEXTech SOLUTION

INNOVATIVE
FLEXOTECH PVT LTD
AN ISO 9001 : 2015 CERTIFIED COMPANY

22
Years of Experience

FLEXTech
INDUSTRIES

ISO 9001:2015 COMPANY



India's most trusted name in
woven sack flexo printing

8

Colour in line
(Roll to Roll)


SPEED 100/150
mtr/min



FOR WOVEN SACK
INNOFLEX 8800

INNOVATIVE FLEXTech INVITES YOU TO VISIT AT


05-10
FEB 2026

PLASTINDIA 2026

Bharat Next

 ufi
Approved
Event

Organised by



PLASTINDIA FOUNDATION®
© 2015-2026

Hall No.
12
Stall No.
C1



BHARAT MANDAPAM, NEW DELHI, INDIA

+91 98240 96180 | info@flexo.co.in | www.wovensackflexo.com

IMPRESSIONS OF SUCCESS




**PRADHANMANTRI
Bhartiya
Jan Urvarak
Pariyojna**
Special Design For Multicolour Logo Print

Seven colour Flexographic printing machine, bag to bag for HDPE / PP Woven sacks, Jute and Laminated jute bags, Kraft paper bags, Non woven bags...



Hydraulic Bale press



- ALGERIA
- AUSTRALIA
- BANGLADESH
- BRITAIN
- DUBAI
- ECUADOR
- EGYPT
- ELSALVADOR
- ETHIOPIA
- FRANCE
- GERMANY
- GHANA
- GUATEMALA
- HOLLAND
- HUNGARY
- HONDURAS
- IVORY COAST (COTE D'IVOIRE)
- KENYA
- LATIN AMERICA
- LOMA TOGO
- MALAWI
- MOZAMBIQUE
- MYANMAR
- NEPAL
- NIGERIA
- POLAND
- QATAR
- R.D.CONGO
- RUSSIA
- SPAIN
- SUDAN
- SULTANATE OF OMAN
- TANZANIA
- UGANDA
- U.K.
- U.S.A.
- REPUBLIC OF UZBEKISTAN
- YEMEN
- ZAMBIA...

Our other products :
Manual printing machine for FIBC/JUMBO BAGS
Hydraulic Bale press up to 80 Tonne capacity
Hydraulic Bale press container type
Woven Fabric cutting machine



292/6,3,4, Shastri Laghu Udyog Nagar, Near Maheshwari Mills, Tardipura, Shahibaug, Ahmedabad - 380 004. (INDIA)
 PH : 0091-79-2562 2453, 2563 1983, 2562 2271, (Mo)+91-76240 17200
 MOBILE : +91-98240 17200, 98240 22456, 97243 31029
 E-mail : exports@navjivanexporters.in
 Web : www.navjivanexporters.in


Reliable performance
Till the last drop...



Techlam

Inks for Treated HDPP/PE Cement Bags

High Heat Resistance for AD Star Bags application | Good Gloss
Suitable for 30-300 mpm print speeds | Good Scuff



HI-Tech Inks Pvt. Ltd.

B-706/707, Western Edge-II, Western Express Highway,
Borivall (East), Mumbai - 400 066, Maharashtra, INDIA
E: info@hitechinks.co.in W: hitechinks.co.in



Reliable performance
Till the last drop...



Extrulam

Inks for BOPP Printing
with PP Extrusion Lamination

- Good Printability
- Good Color Strength
- High Bond Strength
- Low Solvent Retention



Hi-Tech Inks Pvt. Ltd.

B-706/707, Western Edge-II, Western Express Highway,
Borival (East), Mumbai - 400 066, Maharashtra, INDIA
E: Info@hitechinks.co.in W: hitechinks.co.in



TAPE EXTRUSION LINE

Production Capacity : 150 to 900 Kg/Hr



For Manufacturing PP/HDPE Flat Tapes to Produce Woven Sacks, Tarpaulin, Jumbo Bags (FIBC), Ropes, Stitching Threads etc.



Tape Winder Inverter / Electronic



Jumbo Winder Fibrillated Tape



Auto Doffing Tape Winder

OutPut




Baler Twines



PP/HDPE Tapes

CIRCULAR WEAVING MACHINE

4, 6, 8, 10 & 12 Shuttle Circular Weaving Loom



PP/HDPE Fabric Rolls



Leno Fabric

Exports in 44+ Countries | Experience of 38+ Years

TAPE LINE | WINDERS | CIRCULAR LOOM | EXTRUSION COATING | PRINTING
CONVERTING | RECYCLING | STRAPPING | CAST FILM LINE | MONOFILAMENT


Corporate Office

C1B-1034 to 1037, G.I.D.C, Industrial Estate, Ankleshwar-393002, Dist. Bharuch, Gujarat, India.

+91 99090 47164 | info@jpel.in | www.jpel.in



EXTRUSION COATING MACHINE
Die Width from: 900mm to 6000mm



**AUTOMATIC BAG CUTTING,
STITCHING & LINER INSERTION LINE**



**4000mm 4 COLOUR
FLEXO PRINTER
for Wrapping
Fabric / Tarpaulin**



PLASTIC RECYCLING MACHINE
Output Range: 100-450 Kg/Hr
Suitable for: PP, BOPP, HDPE, LDPE & HIPS



**PE/PP MONOFILAMENT LINE WITH
COP WINDERS / DUNLINE PLANT**



PP/PET STRAPPING LINE
Available Strap Sizes: 9, 12, 15 & 19mm



J P EXTRUSIONTECH

SINCE 1987



High Speed Needle Looms & Filler Cord Machines



Model No.

- 6ND- 30
- 8ND- 30
- 4ND- 50
- 6ND- 50
- 8ND- 50
- 4ND- 75
- 4ND- 85
- 2ND-100
- 4ND-100
- 2ND-110
- 4ND-110
- 2ND-150
- SD-608N
- SD-212N



PRODUCT RANGE

- ★ Belt for FIBC Bags
- ★ P.P. Tapes
- ★ HDPE Monofilament Niwar
- ★ Fancy Niwar
- ★ Zipper Tapes
- ★ Elastic Bands
- ★ Cotton Tapes
- ★ Cotton Niwar



Manufacturer :



Ahmedabad, Gujarat. (India)

Plot No. 1108+4+5/2, Phase II, "D" Road, G.I.D.C. Industrial Estate,
 Vatva, Ahmedabad - 382 445. Gujarat. (India)
 Phone : 91- 79 - 2599 2298 - 8825 8453 Mobile : +91 98240 39000, +91 9727 399999
 E-mail : jayesh@amtrac.in • info@amtrac.in Web: http : // www.amtrac.in

Exporter :



Amtrac
 Industries Pvt. Ltd.
 Ahmedabad, Gujarat. (India)

SUPPORTED BY



PLASTINDIA 2026TM

FEB 5-10

BHARAT MANDAPAM, NEW DELHI, INDIA

12TH INTERNATIONAL PLASTICS EXHIBITION, CONFERENCE & CONVENTION

Bharat Next



Organised by



PLASTINDIA FOUNDATION[®]
ISO 9001:2015 certified

INDIAN PLASTICS INDUSTRY IS SET TO SOAR TO \$75Bn BY 2030

Is Your Business **POSITIONED TO GROW?**



RIDE THE NEXT WAVE OF GROWTH WITH PLASTINDIA 2026

PLATINUM SPONSORS



GOLD SPONSORS



FOUNDER MEMBERS



CONSTITUENT MEMBERS



SUPPORTED BY



OVERSEAS ASSOCIATES



For Booking Enquiry, Call: +91-7045644609
E-mail: info@plastindia.org
Website: www.plastindia.org

plastindia.org
PIF_PLASTINDIA plastindia-foundation
plastindia-foundation PlastIndiaFoundation



Scan here to Register



Scan here for Whatsapp Chatbot

Extrusion Coating & Lamination Lines



Redefining
Technology



A Big Amount of woven sacks is produced with coating, because coated sacks provide better protection of the contents from dust and moisture. also, gives better printability, for attractive Packaging.

Our Next Generation ***lamiRex*** Series offers Advanced coating and laminating lines designed for uniform coating with excellent adhesion, also offers outstanding flexibility and allows for endless coating and laminating of a wide range of substrates such as woven fabric of PP or PE, paper, BOPP film and nonwoven. Because of its double wide layout, tubular fabrics are coated on both sides in one go.

Best Workmanship, Innovative Technology & Modular design allows low cost production with maximum versatility, meeting the most challenging demands of modern Packaging

TPPL
TECHNOLOGY PLASTOMECH

TECHNOLOGY PLASTOMECH PRIVATE LIMITED

A-704, K P Epitome,
Nr. DAV School, Makarba, Prahladnagar,
Ahmedabad - 380051, Gujarat, INDIA.

+91 97129 65099
sales@tpplindia.com

For international
+91 99786 11088
export@tpplindia.com


AN ISO 9001:2015
CERTIFIED COMPANY

High Speed Universal Processing

Up to 250m eter/min speed
Excellent coating adhesion
Uniform Coating thickness
Low energy consumption



Strong Coating Adhesion



Uniform Coating



Auto Changeover



Low Energy Consumption



Operator Friendly



High Speed Working



Nonstop Operation



Simple Maintenance



Most Efficient Operation

lamiRex >>>>>

- >> **BX Series**
Extrusion Coating Lines for Bags and Sandwich Lamination
- >> **WX Series**
Extrusion Coating Lines for Tarpaulin, Wide fabric, FBC (Jumbo) & more
- >> **CX Series**
Multi Extrusion Coating Lines - CoEx
- >> **TX Series**
Tandem Extrusion Coating Lines

Working speed
upto 250 m/min

Working Width
upto 4500 mm

Melting Capacity
upto 600 kg/hr



www.tpplindia.com

SHUTTLE

BODY



S NO.	DESCRIPTION	REF. NO.	MODEL	S NO.	DESCRIPTION	REF. NO.	MODEL
1.	SHUTTLE BODY - WG (8 DEGREE)	11407558000/10	NOVA8	13.	SHUTTLE BODY	11168168200	LSL610
		11158481300		14.	SHUTTLE BODY 820-AP	11168168000	LSL820 LF
		11158388000		15.	SHUTTLE BODY -820 (MACHINING)	11413951000	LSL820 HF
2.	SHUTTLE BODY MACHINING (A)-X	11407876000	NOVA8 720	16.	SHUTTLE BODY-820 (MACHINING)	11130226420	LSL820 HF
		11408391000		17.	SHUTTLE BODY	11405168010	LSL820 HF
		11198090131		18.	SHUTTLE BODY	11130208400	LSL820
3.	SHUTTLE BODY - WG (8 DEGREE)	11158248000	LSL6 36 / 30 BELTS ACES / LENO4	19.	SHUTTLE BODY	11130211000	LSL890
		11407562000		20.	SHUTTLE BODY 830-RS	11130232810	LSL830 LF
4.	SHUTTLE BODY-AP	11158925820	LSL6 30 BELTS / LENO4	21.	SHUTTLE BODY (S)-C	11168460610	NOVA8 HF
5.	SHUTTLE BODY-WG-(810)	11407566000	LSL610 LF	22.	SHUTTLE BODY (R)-C	11405414000	NOVA8 LF
6.	SHUTTLE BODY (WEFT GUIDE) 810	11188616400	LSL610 LF	23.	SHUTTLE BODY (R)-D	11404808000	NOVA10 LF
7.	SHUTTLE BODY-P10 (WG)	11158414110	NOVA81 LF	24.	SHUTTLE BODY (S)-D	11188427200 / 10	NOVA10 HF
8.	SHUTTLE BODY-P10 (WG)-F	11407563000	NOVA82 LF	25.	SHUTTLE BODY (S)-E	11408816010	NOVA12 HF
9.	SHUTTLE BODY LSL8-RS	11130231710	LSL8 LF	26.	SHUTTLE BODY-8-10" (MACHINING)-F	11408162000	NOVA82 HF
10.	SHUTTLE BODY-LSL8 (MACHINING)	11130225720	LSL8 HF	27.	SHUTTLE BODY (S)-G	11405367000	NOVA82 HF
11.	SHUTTLE BODY-820 (MACHINING)	11130224830	LSL10 HF	28.	-----	-----	-----
12.	SHUTTLE BODY-H8 (MACHINING)	11130226320	LSL810 HF				

BEARING BLOCK

JOCKEY LEVER



S NO.	DESCRIPTION	REF. NO.	MODEL
1.	JOCKEY LEVER (CRM)	11158330920	NOVA 6 / LSL96 36 BELTS / ACE6 LENO4 / NOVA LENO 4 / NOVA61 NOVA62
		11158330930	
		11130216230	
2.	JOCKEY LEVER (Brg.6002)	11158366510	LSL6 30 BELTS / LSL8 / LSL10 NOVA8 / NOVA10 / NOVA12 NOVA82
		11158366520	
		11158366530	
		11408152000	
3.	JOCKEY LEVER	11130205120	LSL610 / LSL620
4.	JOCKEY LEVER	11131476500	LSL630



Quality Products

SAR INDUSTRIES

Our Product Range

- » Hydraulic Bale Press For FIBC (Jumbo Bag)
- » Hydraulic Bale press 40 to 150 Ton
- » Hydraulic Cheese Pipe Straightener
- » Hydraulic Bale Press For Waste
- » Bobbin Cleaning Machine
- » Manual Printing (up to 4 Colours)
- » Gear Box Cooling For Top Plant Hot Air Dryer Granules
- » Online Reforming (Fabric Inspection) Machine
- » Perforation Unit For Online Printing Machine
- » Surface Winder For Printing Machine & Lamination Plant
- » Online Gussing Unit
- » Mixing Machine For Raw Material (Granules)
- » Unwinding Unit & Rewinding Unit with Web Guiding System
- » Power Saving Blowers & All Accessories for Raffia Industries



Hydraulic Bale Press (40 to 150 Ton)



Hydraulic Bale Press For FIBC (Jumbo Bag)



Hydraulic Bale Press For Waste



Bobbin Cleaning Machine



Hydraulic Cheese Pipe Straightener



Perforation Unit



Hot Air Dryer



Granule Mixing Machine



Fabric Rewinding Machine



Surface Rewinder



Manual Printing Machine (up to 4 color)



Unwinding Unit



SAR INDUSTRIES

Plot No. 4/5/6/7, Tirth Bhoomi Industrial Park-2, Bakrol-Gatrad Road, Opp. Bricks Factory Village-Bakrol (Bujrang), Taluka Daskrol, Dist. Ahmedabad - 382430, Gujarat, India
 Ph.: 7201000662 | Mob.: +91 9376186526 / 9662043526 / 9376186513
 E-mail : sarindustries2011@gmail.com | Website : sarindustries.com



SAR INDUSTRIES

MIXER WITH DRYER

We are very pleased to introduce yet another innovation to woven sacks industry. It will certainly minimize your problems in mixing of raw materials perfectly. The salient features of our mixing machine are:

- 1.Reduction of man power working
- 2.Reduction of mixing time
- 3.Reduction of mishandling
- 4.Improves quality of end product
- 5.Contains 2 hot air blower of 0.5HP with 7.5 KW heater with PID installed Electric Panel.

Machine Size (L X B X H) In MM	Mixing Capacity Kg / 15 min
1000 X 1000 X 1000	150

Bag Cutting and Sewing Machine (BCS)

1. Heavy Duty Lazar cutting fabricated MS structure with fully automatic user friendly control system with 15HP connecting load with electric panel.
2. Machines consists of web guide, unwinding unit, cutting unit, feeding unit an efficient clipper system and a sewing machine with single and double folder.
3. Working width of machine is between 8" to 36" Inch.
4. Working length of machine is between 12" to 53" Inch.
5. Cutting length accuracy of machine is ± 1 mm.
6. Production capacity 20-35 bags per min depending on the sewing machine.



SAR INDUSTRIES

Plot No. 4/5/6/7, Tirth Bhoomi Industrial Park-2, Bakrol-Gatrad Road, Opp. Bricks Factory
Village-Bakrol (Bujrang), Taluka Daskroi, Dist. Ahmedabad - 382430, Gujarat, India

Ph.: 7201000662 | Mob.: +91 9376186526 / 9662043526 / 9376186513 | E-mail : sarindustries2011@gmail.com

: www.sarindustries.com



Plastics Automation



GRAVIMIX[®]

Precision that pays back

Save 35% on additive cost



Visit us at :
Hall 5G | Stand B2
5-10 Feb Bharat Mandapam
New Delhi

Key Deliverables

- Achieve additive savings of up to 35%
- Recipe validation in real time using live system data
- Unified dashboard for monitoring one or multiple plants
- Confidentiality maintained for all raw material inputs
- Elimination of human errors in the blending process
- Simplified tracking of production data
- Dosing accuracy down to 0.1%



FLECS



AGB-5/7



AGB-10/25

95% of our installations gives a
payback time of 3-6 months!



Dear IFTEX Members & Advertisers,

You are co-ordially invited to
visit “IFTEX” stall at

PLASTINDIA 2026 Exhibition
from 5th – 10th February, 2026 at
Bharat Mandapam, New Delhi.

INDIAN FEDERATION OF WOVEN TECHNICAL TEXTILES (IFTEX)

Hall Number : Hall 5G
Stall Number : H5G-A31



Alpesh Patel
Vice President

Padmaja K Reddy
President

Prakash Khemani
Vice President



to NEW MEMBERS



*The following organizations has become new members of our Association.
The President and Managing Committee extend warm welcome to new members.*

M/s. LUK PLASTCON LIMITED

Plot No.G-99, MIDC, Butibori Industrial Estate
Nagpur - 441122, MAHARASHTRA

Mr.Varun Bajaj - 9960656000
Mr.Swapnil Dixit - 9158999537

E-mail: varunbajaj@bajajngp.com | luk-purchase@bajajpolymin.com

M/s. SHRI DAKSHINESHWARI MAA POLYFABS LTD.

Vill-Amria, Po-Ati, PS-Dadpur, Block-Polba Dadpur
Dist. Hooghly – 7112305, WEST BENGAL

Mr. Shresth Bansal - 8001512000 | 8001500282

E-mail: shresth@sreedm.com | sdmpl2016@gmail.com



Editor & Publisher : Aruna

Owner and Place of Publication :

Indian Federation of Woven Technical Textiles

213, Richmond Towers, 12, Richmond Road, Bengaluru - 560 025

Phone : 080 - 22234603, 6360092285

E-mail : accounts@iftex.in

Printed by : **Shreyas Creations**

Smt. Kalavathi V.K.

No. J 73, 2nd Cross, Anjaneya Block, Sheshadripuram, Bengaluru - 560 020

M : 84537 71784, E : kalashreyas70@gmail.com



- The views expressed in this publication are not necessarily those of the Association.
- This Association represents the Woven Technical Textile Manufacturers in the Country. All of them stand solidly behind it.
- Ever since it was established in 1971, the Association has focused attention on the problems and difficulties faced by the Woven technical Textile Industry and has solved several of them.
- Members are requested to contribute articles on subjects that have a bearing on Woven technical Textile Industry in particular and PP / HDPE Industry in general. They will be published if they conform to the accepted standards. Letters to the Association and suggestions for improvement of this publication are welcome.
- For private circulation among members only.

**THE POWER
TO RECYCLE.
THE POWER TO
CHANGE THE
WORLD.**



Transform your business for the better, unlock the potential of recycling with Lohia Corp's **ReclaMax** and **ReclaPro**. Explore a smarter, proactive way to achieve business growth and sustainability.





ReclaMax



ReclaPro

- Reclaims maximum output from polyolefin waste • Single-step solution
- Waste converted into quality recycled pellets • User-Friendly design
- Maintains ecological sustainability

To know more :  sales@lohiagroup.com  +91 5123045100



www.lohiagroup.com

Lohia Corp
Integrity | Quality | Value

**SHACKLED
UP BY
WASTE?**



Be responsible. Recycle.

